

Western Polyrub India Pvt Ltd
 PN6
 Standard Gaskets



Nominal Bore (mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
15	44 x 22	80 x 22	4	11	55
20	54 x 28	90 x 28	4	11	65
25	64 x 35	100 x 35	4	11	75
32	76 x 43	120 x 43	4	14	90
40	86 x 49	130 x 49	4	14	100
50	96 x 61	140 x 61	4	14	110
65	116 x 77	160 x 77	4	14	130
80	132 x 90	190 x 90	4	18	150
100	152 x 115	210 x 115	4	18	170
125	182 x 141	240 x 141	8	18	200
150	207 x 169	265 x 169	8	18	225
200	262 x 220	320 x 220	8	18	280
250	317 x 274	375 x 274	12	18	335
300	373 x 325	440 x 325	12	22	395
350	423 x 368	490 x 368	12	22	445
400	473 x 420	540 x 420	16	22	495
450	528 x 470	595 x 470	16	22	550
500	578 x 520	645 x 520	20	22	600
600	679 x 620	755 x 620	20	26	705

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

PN 10

Standard Gaskets



WESPO
WESTERN POLYRUB INDIA PVT. LTD.

Nominal Bore (mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
10	45 x 18	90 x 18	4	14	60
15	51 x 22	95 x 22	4	14	65
20	61 x 28	105 x 28	4	14	75
25	71 x 35	115 x 35	4	14	85
32	82 x 43	140 x 43	4	18	100
40	92 x 49	150 x 49	4	18	110
50	107 x 61	165 x 61	4	18	125
65	127 x 77	185 x 77	4	18	145
80	142 x 90	200 x 90	8	18	160
100	162 x 115	220 x 115	8	18	180
125	192 x 141	250 x 141	8	18	210
150	218 x 169	285 x 169	8	22	240
200	273 x 220	340 x 220	8	22	295
250	328 x 274	395 x 274	12	22	350
300	378 x 325	445 x 325	12	22	400
350	438 x 368	505 x 368	16	22	460
400	489 x 420	565 x 420	16	26	515
450	539 x 470	615 x 470	20	26	565
500	594 x 520	670 x 520	20	26	620
600	695 x 620	780 x 620	20	30	725
700	810 x 712	895 x 712	24	30	840
800	917 x 813	1015 x 813	24	33	950
900	1017 x 915	1115 x 915	28	33	1050
1000	1124 x 1016	1230 x 1016	28	36	1160
1100	1231 x 1120	1340 x 1120	32	39	1270
1200	1341 x 1220	1455 x 1220	32	39	1380
1400	1548 x 1420	1675 x 1420	36	42	1590
1500	1658 x 1520	1785 x 1520	36	42	1700
1600	1772 x 1620	1915 x 1620	40	48	1820
1800	1972 x 1820	2115 x 1820	44	48	2020
2000	2182 x 2020	2325 x 2020	48	48	2230

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

PN16

Standard Gaskets



Nominal Bore (mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
10	45 x 18	90 x 18	4	14	60
15	51 x 22	95 x 22	4	14	65
20	61 x 28	105 x 28	4	14	75
25	71 x 35	115 x 35	4	14	85
32	82 x 43	140 x 43	4	18	100
40	92 x 49	150 x 49	4	18	110
50	107 x 61	165 x 61	4	18	125
65	127 x 77	185 x 77	4	18	145
80	142 x 90	200 x 90	8	18	160
100	162 x 115	220 x 115	8	18	180
125	192 x 141	250 x 141	8	18	210
150	218 x 169	285 x 169	8	22	240
200	273 x 220	340 x 220	12	22	295
250	329 x 274	405 x 274	12	26	355
300	384 x 325	460 x 325	12	26	410
350	444 x 368	520 x 368	16	26	470
400	495 x 420	580 x 420	16	30	525
450	555 x 470	640 x 470	20	30	585
500	617 x 520	715 x 520	20	33	650
600	734 x 620	840 x 620	20	36	770
700	804 x 712	910 x 712	24	36	840
800	911 x 813	1025 x 813	24	39	950
900	1011 x 915	1125 x 915	28	39	1050
1000	1128 x 1016	1255 x 1016	28	42	1170
1100	1228 x 1120	1355 x 1120	32	42	1270
1200	1342 x 1220	1485 x 1220	32	48	1390
1400	1542 x 1420	1685 x 1420	36	48	1590
1500	1654 x 1520	1820 x 1520	36	56	1710
1600	1764 x 1620	1930 x 1620	40	56	1820
1800	1964 x 1820	2130 x 1820	44	56	2020
2000	2168 x 2020	2345 x 2020	48	62	2230

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

PN25

Standard Gaskets



Nominal Bore (mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
10	45 x 18	90 x 18	4	14	60
15	51 x 22	95 x 22	4	14	65
20	61 x 28	105 x 28	4	14	75
25	71 x 35	115 x 35	4	14	85
32	82 x 43	140 x 43	4	18	100
40	92 x 49	150 x 49	4	18	110
50	107 x 61	165 x 61	4	18	125
65	127 x 77	185 x 77	8	18	145
80	142 x 90	200 x 90	8	18	160
100	168 x 115	235 x 115	8	22	190
125	194 x 141	270 x 141	8	26	220
150	224 x 169	300 x 169	8	26	250
200	284 x 220	360 x 220	12	26	310
250	340 x 274	425 x 274	12	30	370
300	400 x 325	485 x 325	16	30	430
350	457 x 368	555 x 368	16	33	490
400	514 x 420	620 x 420	16	36	550
450	565 x 470	670 x 470	20	36	600
500	624 x 520	730 x 520	20	36	660
600	731 x 620	845 x 620	20	39	770
700	833 x 712	960 x 712	24	42	875
800	942 x 813	1085 x 813	24	48	990
900	1042 x 915	1185 x 915	28	48	1090
1000	1154 x 1016	1320 x 1016	28	56	1210
1100	1254 x 1120	1420 x 1120	32	56	1310
1200	1364 x 1220	1530 x 1220	32	56	1420
1400	1578 x 1420	1755 x 1420	36	62	1640
1500	1688 x 1520	1865 x 1520	36	62	1750
1600	1798 x 1620	1975 x 1620	40	62	1860
1800	2000 x 1820	2195 x 1820	44	70	2070
2000	2230 x 2020	2425 x 2020	48	70	2300

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.



Nominal Bore (mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
10	45 x 18	90 x 18	4	14	60
15	50 x 22	95 x 22	4	14	65
20	60 x 28	105 x 28	4	14	75
25	70 x 35	115 x 35	4	14	85
32	82 x 43	140 x 43	4	18	100
40	92 x 49	150 x 49	4	18	110
50	107 x 61	165 x 61	4	18	125
65	127 x 77	185 x 77	8	18	145
80	142 x 90	200 x 90	8	18	160
100	168 x 115	235 x 115	8	22	190
125	194 x 141	270 x 141	8	26	220
150	224 x 169	300 x 169	8	26	250
200	290 x 220	375 x 220	12	30	320
250	352 x 274	450 x 274	12	33	385
300	417 x 325	515 x 325	16	33	450
350	474 x 356	580 x 356	16	36	510
400	546 x 407	660 x 407	16	39	585
450	571 x 458	685 x 458	20	39	610
500	628 x 508	755 x 508	20	42	670
600	747 x 610	890 x 610	20	48	795
700	852 x 710	995 x 710	24	48	900
800	974 x 820	1140 x 820	24	56	1030
900	1084 x 910	1250 x 910	28	56	1140
1000	1194 x 1010	1360 x 1010	28	56	1250

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

TABLE A BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	52 x 21	95 x 21	4	14	67
¾	59 x 27	102 x 27	4	14	73
1	68 x 34	114 x 34	4	14	83
1 ¼	73 x 43	121 x 43	4	14	87
1 ½	84 x 48	133 x 48	4	14	98
2	97 x 60	152 x 60	4	18	114
2 ½	110 x 76	165 x 76	4	18	127
3	129 x 89	184 x 89	4	18	146
3 ½	148 x 102	203 x 102	4	18	165
4	160 x 114	216 x 114	4	18	178
5	192 x 140	254 x 140	4	18	210
6	217 x 168	279 x 168	4	18	235
7	243 x 194	305 x 194	8	18	260
8	275 x 219	337 x 219	8	18	292
9	306 x 244	368 x 244	8	18	324
10	333 x 273	406 x 273	8	22	356
12	384 x 324	457 x 324	8	22	406
13	416 x 356	489 x 356	8	22	438
14	445 x 381	527 x 381	8	25	470
15	470 x 406	552 x 406	8	25	495
16	495 x 432	578 x 432	12	25	521
17	527 x 457	610 x 457	12	25	552
18	559 x 483	641 x 483	12	25	584
19	584 x 508	673 x 508	12	25	610
20	616 x 533	705 x 533	12	25	641
21	648 x 559	737 x 559	12	25	673
22	670 x 584	762 x 584	12	29	699
23	695 x 610	787 x 610	12	29	724
24	727 x 635	826 x 635	12	29	756

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

TABLE D BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	52 x 21	95 x 21	4	14	67
¾	59 x 27	102 x 27	4	14	73
1	68 x 34	114 x 34	4	14	83
1 ¼	73 x 43	121 x 43	4	14	87
1 ½	84 x 48	133 x 48	4	14	98
2	95 x 60	152 x 60	4	19	114
2 ½	108 x 76	165 x 76	4	19	127
3	127 x 89	184 x 89	4	19	146
3 ½	148 x 102	203 x 102	4	19	165
4	159 x 114	216 x 114	4	19	178
5	191 x 140	254 x 140	8	19	210
6	216 x 168	279 x 168	8	19	235
7	243 x 194	305 x 194	8	19	260
8	273 x 219	337 x 219	8	19	292
9	306 x 245	368 x 245	8	19	324
10	333 x 273	406 x 273	8	22	356
12	384 x 324	457 x 324	12	22	406
13	416 x 356	489 x 356	12	22	438
14	445 x 381	527 x 381	12	25	470
15	470 x 406	552 x 406	12	25	495
16	495 x 432	578 x 432	12	25	521
17	527 x 457	610 x 457	12	25	553
18	559 x 483	641 x 483	12	25	584
19	584 x 508	673 x 508	12	25	610
20	616 x 533	705 x 533	16	25	641
21	648 x 559	737 x 559	16	25	673
22	670 x 584	762 x 584	16	29	698
23	695 x 610	787 x 610	16	29	724
24	727 x 635	826 x 635	16	29	756

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

TABLE E BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	52 x 21	95 x 21	4	14	67
¾	59 x 27	102 x 27	4	14	73
1	68 x 34	114 x 34	4	14	83
1 ¼	73 x 43	121 x 43	4	14	87
1 ½	84 x 48	133 x 48	4	14	98
2	95 x 60	152 x 60	4	19	114
2 ½	108 x 76	165 x 76	4	19	127
3	127 x 89	184 x 89	4	19	146
3 ½	148 x 102	203 x 102	4	19	165
4	159 x 114	216 x 114	8	19	178
5	191 x 140	254 x 140	8	19	210
6	213 x 168	279 x 168	8	22	235
7	243 x 194	305 x 194	8	22	260
8	270 x 219	337 x 219	8	22	292
9	306 x 245	368 x 245	8	22	324
10	333 x 273	406 x 273	12	22	356
12	381 x 324	457 x 324	12	25	406
13	416 x 356	489 x 356	8	25	438
14	445 x 381	527 x 381	12	25	470
15	470 x 406	552 x 406	8	25	495
16	495 x 432	578 x 432	12	25	521
17	527 x 457	610 x 457	12	25	552
18	559 x 483	641 x 483	16	25	584
19	584 x 508	673 x 508	12	25	610
20	616 x 533	705 x 533	16	25	641
21	648 x 559	737 x 559	12	29	673
22	670 x 584	762 x 584	12	29	699
23	695 x 610	787 x 610	12	29	724
24	724 x 635	826 x 635	16	32	756

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

TABLE F BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	52 x 21	95 x 21	4	14	67
¾	59 x 27	102 x 27	4	14	73
1	68 x 34	121 x 34	4	19	87
1 ¼	79 x 43	133 x 43	4	19	98
1 ½	86 x 48	140 x 48	4	19	105
2	108 x 60	165 x 60	4	19	127
2 ½	127 x 76	184 x 76	8	19	146
3	146 x 89	203 x 89	8	19	165
3 ½	160 x 102	216 x 102	8	19	178
4	171 x 114	229 x 114	8	19	191
5	213 x 140	279 x 140	8	22	235
6	238 x 168	305 x 168	12	22	260
7	270 x 194	337 x 194	12	22	292
8	302 x 219	368 x 219	12	22	324
9	330 x 245	406 x 245	12	25	356
10	356 x 273	432 x 273	12	25	381
12	413 x 324	489 x 324	16	25	438
13	441 x 356	527 x 356	16	29	470
14	467 x 381	552 x 381	16	29	495
15	492 x 406	578 x 406	16	29	521
16	524 x 432	610 x 432	20	29	552
17	556 x 457	641 x 457	20	29	584
18	578 x 483	673 x 483	20	32	610
19	610 x 508	705 x 508	20	32	641
20	641 x 533	737 x 533	24	32	673
21	667 x 559	762 x 559	24	32	699
22	692 x 584	787 x 584	24	32	724
23	721 x 610	826 x 610	24	35	756
24	746 x 635	851 x 635	24	35	781

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

TABLE H BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	64 x 21	114 x 21	4	19	83
¾	64 x 27	114 x 27	4	19	83
1	68 x 34	121 x 34	4	19	87
1 ¼	79 x 43	133 x 43	4	19	98
1 ½	86 x 48	140 x 48	4	19	105
2	108 x 60	165 x 60	4	19	127
2 ½	127 x 76	184 x 76	8	19	146
3	146 x 89	203 x 89	8	19	165
3 ½	160 x 102	216 x 102	8	19	178
4	171 x 114	229 x 114	8	19	191
5	213 x 140	279 x 140	8	22	235
6	238 x 168	305 x 168	12	22	260
7	270 x 194	337 x 194	12	22	292
8	302 x 219	368 x 219	12	22	324
9	330 x 245	406 x 244	12	25	356
10	356 x 273	432 x 273	12	25	381
12	413 x 324	489 x 324	16	25	438
13	441 x 356	527 x 356	16	29	470
14	467 x 381	552 x 381	16	29	495
15	492 x 406	578 x 406	16	29	521
16	524 x 432	610 x 432	20	29	552
17	556 x 457	641 x 457	20	29	584
18	578 x 483	673 x 483	20	32	610
19	610 x 508	705 x 508	20	32	641
20	641 x 533	737 x 533	24	32	673
21	667 x 559	762 x 559	24	32	699
22	692 x 584	787 x 584	24	32	724
23	721 x 610	826 x 610	24	35	756
24	746 x 635	851 x 635	24	35	781

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

TABLE J BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	65 x 21	114 x 21	4	18	83
¾	65 x 27	114 x 27	4	18	83
1	70 x 34	121 x 34	4	18	87
1 ¼	81 x 43	133 x 43	4	18	98
1 ½	87 x 48	140 x 48	4	18	105
2	110 x 60	165 x 60	4	18	127
2 ½	129 x 76	184 x 76	8	18	146
3	148 x 89	203 x 89	8	18	165
3 ½	160 x 102	216 x 102	8	18	178
4	173 x 114	229 x 114	8	18	191
5	213 x 140	279 x 140	8	22	235
6	238 x 168	305 x 168	12	22	260
7	270 x 194	337 x 194	12	22	292
8	302 x 219	368 x 219	12	22	324
9	330 x 244	406 x 244	12	25	356
10	356 x 273	432 x 273	12	25	381
12	413 x 324	489 x 324	16	25	438
13	441 x 356	527 x 356	16	29	470
14	467 x 381	552 x 381	16	29	495
15	492 x 406	578 x 406	16	29	521
16	524 x 432	610 x 432	20	29	552
17	556 x 457	641 x 457	20	29	584
18	578 x 483	673 x 483	20	32	610
19	610 x 508	705 x 508	20	32	641
20	641 x 533	737 x 533	24	32	673
21	667 x 559	762 x 559	24	32	699
22	692 x 584	787 x 584	24	32	724
23	721 x 610	826 x 610	24	35	756
24	746 x 635	851 x 635	24	35	781

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

TABLE K BS10 FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	65 x 21	114 x 21	4	18	83
¾	65 x 27	114 x 27	4	18	83
1	78 x 34	121 x 34	4	18	95
1 ¼	81 x 43	133 x 43	4	18	98
1 ½	92 x 48	140 x 48	4	22	114
2	110 x 60	165 x 60	8	18	127
2 ½	124 x 76	184 x 76	8	22	146
3	143 x 89	203 x 89	8	22	165
3 ½	159 x 102	216 x 102	8	25	184
4	171 x 114	229 x 114	8	25	197
5	210 x 140	279 x 140	12	25	235
6	235 x 168	305 x 168	12	25	260
7	264 x 191	337 x 191	12	29	292
8	289 x 216	368 x 216	12	29	318
9	327 x 241	406 x 241	16	29	356
10	352 x 270	432 x 270	16	29	381
12	400 x 321	489 x 321	16	29	432
13	448 x 346	527 x 346	16	35	483
14	473 x 371	552 x 371	16	35	508
15	505 x 397	578 x 397	20	35	540

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B16.21 CLASS ASA 150 ANSI STANDARD FLANGES



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	48 x 21	89 x 21	4	16	60
¾	57 x 27	98 x 27	4	16	70
1	67 x 34	108 x 33	4	16	79
1 ¼	76 x 43	117 x 42	4	16	89
1 ½	86 x 48	127 x 48	4	16	98
2	105 x 60	152 x 60	4	19	121
2 ½	124 x 76	178 x 73	4	19	140
3	137 x 89	191 x 89	4	19	152
3 ½	159 x 102	216 x 102	8	19	178
4	175 x 114	229 x 114	8	19	191
5	197 x 140	254 x 141	8	22	216
6	222 x 168	279 x 168	8	22	241
8	279 x 216	343 x 219	8	22	298
10	340 x 270	406 x 273	12	25	362
12	410 x 321	483 x 324	12	25	432
14	451 x 371	533 x 356	12	29	476
16	514 x 406	597 x 406	16	29	540
18	549 x 457	635 x 457	16	32	578
20	606 x 508	699 x 508	20	32	635
24	724 x 610	813 x 610	20	35	749

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

ASME B16.21 CLASS ASA 300



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	54 x 21	95 x 21	4	16	67
¾	67 x 27	117 x 27	4	19	83
1	73 x 33	124 x 33	4	19	89
1 ¼	83 x 42	133 x 42	4	19	98
1 ½	95 x 48	156 x 48	4	22	114
2	111 x 60	165 x 60	8	19	127
2 ½	130 x 73	191 x 73	8	22	149
3	149 x 89	210 x 89	8	22	168
3 ½	165 x 102	216 x 102	8	22	184
4	181 x 114	254 x 114	8	22	200
5	216 x 141	279 x 141	8	22	235
6	251 x 168	318 x 168	12	22	270
8	308 x 219	381 x 219	12	25	330
10	362 x 273	445 x 273	16	29	387
12	422 x 324	521 x 324	16	32	451
14	486 x 356	584 x 356	20	32	514
16	540 x 406	648 x 406	20	35	572
18	597 x 457	711 x 457	24	35	629
20	654 x 508	775 x 508	24	35	686
24	775 x 610	914 x 610	24	41	813

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

ASME B16.21 CLASS ASA 600



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D. (mm)
½	54 x 21	95 x 21	4	16	67
¾	67 x 27	117 x 27	4	19	83
1	73 x 33	124 x 33	4	19	89
1 ¼	83 x 42	133 x 42	4	19	98
1 ½	95 x 48	156 x 48	4	22	114
2	111 x 60	165 x 60	8	19	127
2 ½	130 x 73	191 x 73	8	22	149
3	149 x 89	210 x 89	8	22	168
3 ½	162 x 102	229 x 102	8	25	184
4	194 x 114	273 x 114	8	25	216
5	241 x 141	330 x 141	8	29	267
6	267 x 168	356 x 168	12	29	292
8	321 x 219	419 x 219	12	32	349
10	400 x 273	508 x 273	16	35	432
12	457 x 324	559 x 324	20	35	489
14	492 x 356	603 x 356	20	38	527
16	565 x 406	686 x 406	20	41	603
18	613 x 457	743 x 457	20	44	654
20	683 x 508	813 x 508	24	44	724
24	791 x 610	940 x 610	24	51	838

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design properties without notification.

Western Polyrub India Pvt Ltd

ASME B16.47A CLAA 150



Nominal Bore (in / mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
22 / 550	660 x 559	749 x 559	20	35	692
26 / 650	775 x 660	870 x 660	24	35	806
28 / 700	832 x 711	927 x 711	28	35	864
30 / 750	883 x 762	984 x 762	28	35	914
32 / 800	940 x 813	1060 x 813	28	41	978
34 / 850	991 x 864	1111 x 864	32	41	1029
36 / 900	1048 x 914	1168 x 914	32	41	1086
38 / 950	1111 x 965	1238 x 965	32	41	1149
40 / 1000	1162 x 1016	1289 x 1016	36	41	1200
42 / 1050	1219 x 1067	1346 x 1067	36	41	1257
44 / 1100	1276 x 1118	1403 x 1118	40	41	1314
46 / 1150	1327 x 1168	1454 x 1168	40	41	1365
48 / 1200	1384 x 1219	1511 x 1219	44	41	1422
50 / 1250	1435 x 1270	1568 x 1270	44	48	1480
52 / 1300	1492 x 1321	1623 x 1321	44	48	1537
54 / 1350	1549 x 1372	1683 x 1372	44	48	1594
56 / 1400	1607 x 1422	1746 x 1422	48	48	1651
58 / 1450	1664 x 1473	1803 x 1473	48	48	1708
60 / 1500	1715 x 1524	1854 x 1524	52	48	1759

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B 16.47 A CLASS 300



Nominal Bore (in / mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
22 / 550	705 x 559	838 x 559	24	41	743
26 / 650	835 x 660	972 x 660	28	44	876
28 / 700	899 x 711	1035 x 711	28	44	940
30 / 750	953 x 762	1092 x 762	28	48	997
32 / 800	1007 x 813	1149 x 813	28	51	1054
34 / 850	1057 x 864	1207 x 864	28	51	1105
36 / 900	1118 x 914	1270 x 914	32	54	1168
38 / 950	1054 x 965	1168 x 965	32	41	1092
40 / 1000	1115 x 1016	1207 x 1016	32	44	1156
42 / 1050	1165 x 1067	1289 x 1067	32	44	1207
44 / 1100	1219 x 1118	1365 x 1118	32	48	1264
46 / 1150	1273 x 1168	1416 x 1168	28	51	1321
48 / 1200	1324 x 1219	1467 x 1219	32	51	1372
50 / 1250	1378 x 1270	1581 x 1270	32	54	1429
52 / 1300	1429 x 1321	1657 x 1321	32	54	1480
54 / 1350	1492 x 1372	1683 x 1372	28	60	1579
56 / 1400	1543 x 1422	1708 x 1422	28	60	1600
58 / 1450	1594 x 1473	1759 x 1473	32	60	1651
60 / 1500	1645 x 1524	1810 x 1524	32	60	1702

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B 16.47 A CLASS 600



Nominal Bore (in / mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
22 / 550	733 x 559	870 x 559	24	48	778
26 / 650	867 x 660	1016 x 660	28	51	914
28 / 700	914 x 711	1073 x 711	28	54	965
30 / 750	972 x 762	1130 x 762	28	54	1022
32 / 800	1022 x 813	1194 x 813	28	60	1080
34 / 850	1073 x 864	1245 x 864	28	60	1130
36 / 900	1130 x 914	1314 x 914	32	67	1194
38 / 950	1105 x 965	1270 x 965	32	60	1162
40 / 1000	1156 x 1016	1321 x 1016	32	60	1213
42 / 1050	1219 x 1067	1403 x 1067	32	67	1283
44 / 1100	1270 x 1118	1454 x 1118	32	67	1334
46 / 1150	1327 x 1168	1511 x 1168	28	67	1391
48 / 1200	1391 x 1219	1594 x 1219	32	73	1461
50 / 1250	1448 x 1270	1670 x 1270	32	79	1524
52 / 1300	1499 x 1321	1721 x 1321	32	79	1575
54 / 1350	1556 x 1372	1778 x 1372	28	79	1632
56 / 1400	1613 x 1422	1854 x 1422	28	86	1695
58 / 1450	1664 x 1473	1905 x 1473	32	86	1746
60 / 1500	1721 x 1524	1994 x 1524	32	92	1810

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B 16.47 A CLASS 150



Nominal Bore (in / mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
26 / 650	725 x 660	786 x 660	36	22	745
28 / 700	776 x 711	837 x 711	40	22	795
30 / 750	827 x 762	887 x 762	44	22	846
32 / 800	881 x 813	941 x 813	48	22	900
34 / 850	935 x 864	1005 x 864	40	25	957
36 / 900	987 x 914	1057 x 914	44	25	1010
38 / 950	1045 x 965	1124 x 965	40	29	1070
40 / 1000	1095 x 1016	1175 x 1016	44	29	1121
42 / 1050	1146 x 1067	1226 x 1067	48	29	1172
44 / 1100	1197 x 1118	1276 x 1118	52	29	1222
46 / 1150	1256 x 1168	1341 x 1168	40	32	1284
48 / 1200	1307 x 1219	1392 x 1219	44	32	1335
50 / 1250	1357 x 1270	1443 x 1270	48	32	1386
52 / 1300	1408 x 1321	1494 x 1321	52	32	1437
54 / 1350	1464 x 1372	1549 x 1372	56	32	1492
56 / 1400	1514 x 1422	1600 x 1422	60	32	1543
58 / 1450	1580 x 1473	1675 x 1473	48	35	1611
60 / 1500	1630 x 1524	1726 x 1524	52	35	1662

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B 16.47 A CLASS 300



Nominal Bore (in / mm)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
26 / 650	772 x 660	867 x 660	32	35	803
28 / 700	826 x 711	921 x 711	36	35	857
30 / 750	886 x 762	991 x 762	36	38	921
32 / 800	940 x 813	1054 x 813	32	41	978
34 / 850	994 x 864	1108 x 864	36	41	1032
36 / 900	1048 x 914	1172 x 914	32	44	1089
38 / 950	1099 x 965	1222 x 965	36	44	1140
40 / 1000	1149 x 1016	1273 x 1016	40	44	1191
42 / 1050	1200 x 1067	1334 x 1067	36	48	1245
44 / 1100	1251 x 1118	1384 x 1118	40	48	1295
46 / 1150	1318 x 1168	1461 x 1168	36	51	1365
48 / 1200	1368 x 1219	1511 x 1219	40	51	1416
50 / 1250	1419 x 1270	1562 x 1270	44	51	1467
52 / 1300	1470 x 1321	1613 x 1321	48	51	1518
54 / 1350	1556 x 1372	1673 x 1372	48	51	1578
56 / 1400	1594 x 1422	1765 x 1422	36	60	1651
58 / 1450	1673 x 1473	1827 x 1473	40	60	1713
60 / 1500	1705 x 1524	1878 x 1524	40	60	1764

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.

Western Polyrub India Pvt Ltd

ASME B 16.47 A CLASS 600



Nominal Bore (in)	IBC Gasket		Full Face Gasket		
	OD x ID (mm)	OD x ID (mm)	Number of Bolt Holes	Hole Diameter (mm)	Bolt P.C.D (mm)
26	765 x 660	889 x 660	28	44	806
28	819 x 711	953 x 711	28	48	864
30	879 x 762	1022 x 762	28	51	927
32	933 x 813	1086 x 813	28	54	984
34	997 x 864	1162 x 864	24	60	1054
36	1048 x 914	1213 x 914	28	60	1105

All recommendations and information contained on this data sheet are, to the best of our knowledge, correct. Product specifications are intended as guidelines. Since conditions of service are beyond our control, users must satisfy themselves that products are suitable for the intended use. No guarantee or warranty is given or implied in respect of information or recommendations, or that any use of products will not infringe rights belonging to other parties. We reserve the right to change product design and properties without notification.